

AEROMONAS , Ampicillin 0,02 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8718
AMPHOTHERICINE B , 250 µg/ml	50 ml	8696
ANAEROBES, KARMALI Hematin 0,032 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8734
ANAEROBES , Hemin 0,01 g/L, Menadione 0,001 g/L, Sodium Succinate 0,5 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8730
ANAEROBES , Kanamycin 0,1 g/L, Vancomycin 0,0075 g/L, Use 5 ml per 500 ml of medium	10 X 5 ml	8732
ANAEROBES , Nalidixic Acid 0,01 g/L, Vancomycin 0,0025 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8731
BACILLUS CEREUS , Polymyxin B 100,000 u/L	10 X 5 ml	8737
BIO-X , Growth Enrichment Use 10 ml per liter of medium	10 X 10 ml	8601
	20 ml	8604
	30 ml	8608
	40 ml	8605
	50 ml	8609
	60 ml	8606
	80 ml	8607
	90 ml	8600
	100 ml	8602
	110 ml	8603
	190 ml	8654
400 ml	8680	
1 L	8685	
BORDETELLA PERTUSSIS , Cephalexin 0,04 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8711
BRUCELLA , Polymyxin B 5000 u/L, Bacitracin 25,000 u/L, Cycloheximide 0,1 g/L, Nalidixic Acid 0,005 g/L, Nystatin 100,000 u/L, Vancomycin 0,02 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8741
CAMPYLOBACTER BLASER , Cephalothin 0,015 g/L, Vancomycin 0,01 g/L, Amphotericin B 0,002 g/L, Polymyxin B 2500 u/L, Trimethoprim Lactate 0,005 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8702
CAMPYLOBACTER BUTZLER , Bacitracin 2500 u/L, Cefazolin 0,015 g/L, Colimycin 10000 u/L, Cycloheximide 0,05 g/L, Novobiocin 0,005 g/L, Use 5 ml per 500 ml of medium	10 X 5 ml	8701
CAMPYLOBACTER PRESTON , Cefoperazone 0,032 g/L Use 5 ml per 500 ml of medium	30 ml	8616
	10 X 5 ml	8712
CAMPYLOBACTER PRESTON MODIFIED , Cefoperazone 0,032 g/L, Amphotericin B 0,01 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8745
CAMPYLOBACTER CSM , Cefoperazone 0,032 g/L, Cycloheximide 0,1 g/L, Vancomycin 0,02 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8733

CAMPYLOBACTER, GROWTH FACTOR , Ferrous Sulfate 0,25 g/L, Sodium Metabisulfite 0,25 g/L, Sodium Pyruvate 0,25 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8704
CAMPYLOBACTER SKIRROW , Polymyxin B 2500 u/L, Trimethoprim Lactate 0,005 g/L, Vancomycin 0,01 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8703
C.F.C. , Cetrimide 0,01 g/L, Fucidin 0,01 g/L, Cephaloridine 0,05 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8739
CHLORAMPHENICOL , 0,125 g/L. Use 10 ml per liter of medium	10 X 10 ml	8628
CHLORAMPHENICOL , 0,016 g/L. Use 10 ml per liter of medium	10 X 10 ml	8629
CHLORAMPHENICOL , 0,1 g/L. Use 5 ml per 500 ml of medium	10 X 5 ml	8748
C.L.A.T. , Colimycin 0,0075 g/L, Lincomycin 0,004 g/L, Amphotericin B 0,001 g/L, Trimethoprim Lactate 0,005 g/L Use 10 ml per liter of medium	10 X 10 ml	8689
CLOSTRIDIUM DIFFICILE , Cycloserin 0,5 g/L, Cefoxitin 0,016 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8705
C.N. , Cetrimide 0,2 g/L, Nalidixic Acid 0,015 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8738
CNA , Colimycin 0,01 g/L, Nalidixic Acid 0,015 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8735
COLISTIN OXOLINIC ACID , Colymycin 0,006 g/L, Oxolinic Acid 0,003 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8723
CYCLOHEXIMIDE , 0,2 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8724
CYCLOSERINE , 0,4 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8749
DIAMOND , Gentamycin 0,02 g/L, Vancomycin 0,02 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8713
DIAMOND MODIFIED , Gentamycin 0,02 g/L, Vancomycin 0,02 g/L, Amphotericin B 0,01 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8714
EGG YOLK , 50% Use 50 ml or 100 ml per liter of medium, as required	100 ml	8653
EGG YOLK POLYMYXIN , Egg yolk 50%, Polymyxin B 0,00375 g/L Use 50 ml per liter of medium	100 ml	8652
EGG YOLK POLYMYXIN KANAMYCIN , Egg yolk 50%, Polymyxin B 30,000 u/L, Kanamycin 0,025 g/L Use 100 ml per liter of medium	100 ml	8655

EGG YOLK TELLURITE , Egg yolk 50%, Potassium Tellurite 1% Use 50 ml per liter of medium	100 ml	8651
FILDES , Growth Enrichment Use 50 ml per liter of medium	10 X 5 ml 100 ml	8706 8630
GARDNERELLA VAGINALIS , Amphotericin B 0,002 g/L, Colimycin 0,01 g/L, Nalidixic Acid 0,015 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8707
G.C. , Amphotericin B 0,002 g/L, Colimycin 0,0075 g/L, Lincomycin 0,001 g/L, Trimethoprim Lactate 0,005 g/L, Vancomycin 0,002 g/L. Use 10 ml per liter of medium	10 X 10 ml 20 ml 30 ml 40 ml 50 ml 80 ml	8619 8618 8633 8634 8617 8635
GENTAMYCIN , 0,005 g/L. Use 10 ml per liter of medium	10 X 10 ml	8639
GENTAMYCIN , 0,005 g/L Use 10 ml per 2 liters of medium	10 X 10 ml	8688
GENTAMYCIN , 0,0075 g/L Use 10 ml per liter of medium	10 X 10 ml	8698
GENTAMYCIN , 0,008 g/L Use 10 ml per liter of medium	10 X 10 ml	8699
HEMOGLOBIN , 2% Sterile Use 500 ml per 500 ml of medium	10 X 100 ml 500 ml 1 L 1,5 L 2,5 L 3 L	8660 8662 8661 8665 8663 8664
H.T.M. , β -NAD 0,015 g/L Use 5 ml per 500 ml of medium	10 vials	8750
KANAMYCIN , 0,1 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8727
KANAMYCIN , 0,02 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8740
L.C.A.T. , Amphotericin B 0,002 g/L, Colimycin 0,008 g/L, Lincomycin 0,002 g/L, Trimethoprim Lactate 0,005 g/L. Use 10 ml per liter of medium	10 x 10 ml 20 ml 30 ml 40 ml 60 ml 100 ml 110 ml	8610 8612 8615 8632 8611 8614 8613
LEGIONELLA BCYE , Cystein HCl 0,4 g/L, Ferric Pyrophosphate 0,25 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8708
LEGIONELLA BMPA , Anisomycin 0,01 g/L, Cefamandole 0,004 g/L, Polymyxine B 80,000 u/L. Use 5 ml per 500 ml of medium	10 X 5 ml	8719

MIDDLEBROOK ADC , Albumine Bovine Fraction V 5 g/L, Catalase 0,003 g/L, Dextrose 2 g/L. Use 100 ml per liter of medium	10 X 20 ml 100 ml	8670 8671
MIDDLEBROOK OADC , Albumine Bovine Fraction V 5 g/L, Catalase 0,003 g/L, Dextrose 2 g/L, Oleic Acid 0,05 g/L, Sodium Chloride 0,85 g/L. Use 100 ml per liter of medium	10 X 20 ml 100 ml	8672 8673
MOXALACTAM LPM , 0,02 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8725
NALIDIXIC ACID , 0,015 g/L Use 10 ml per liter of medium	10 X 10 ml	8631
OXFORD , Acriflavin 0,005 g/L, Cefotetan 0,002 g/L, Colimycin 0,02 g/L, Cycloheximide 0,4 g/L, Fosfomycin 0,01 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8717
OXFORD MODIFIED , Colimycin 0,01 g/L, Moxalactam 0,02 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8716
PALCAM , Acriflavin 0,005 g/L, Ceftazidime 0,02 g/L, Polymyxin B 0,005 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8726
PERPRINGENS SUPPLEMENT A (OPSP) , Sulfadiazine 0,1 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8721
PERPRINGENS SUPPLEMENT B (OPSP) , Oleandomycin phosphate 0,0005 g/L, Polymyxin B 10,000 u/L Use 5 ml per 500 ml of medium	10 X 5 ml	8722
PERPRINGENS SUPPLEMENT (TSC) , Cycloserine 0,4 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8749
POLYMYXIN B , Polymyxin B 0,001 g/L Use 10 ml per liter of medium	10 X 10 ml	8641
REGAN LOWE , Amphotericin B 0,05 g/L, Cephalixin 0,04 g/L. Use 5 ml per 500 ml of medium	10 X 5 ml	8715
S.F.P. (EGG YOLK POLYMYXIN B KANAMYCINE) , Egg yolk 50%, Polymyxin B 30,000 u/L, Kanamycin 0,25 g/L Use 100 ml per liter of medium	100 ml	8655
TRIMETHOPRIM LACTATE , Trimethoprim lactate 1,0 g	20 X 1 g	8677
V.C.A.T. , Amphotericin B 0,002 g/L, Colimycin 0,0075 g/L, Trimethoprim Lactate 0,005 g/L, Vancomycin 0,004 g/L. Use 10 ml per liter of medium	10 X 10 ml 20 ml 30 ml 40 ml 60 ml 80 ml 100 ml 110 ml	8620 8622 8627 8623 8624 8625 8626 8621
V.C.N.T. , Colimycin 0,0075g/L, Nystatin 12500 u/L, Trimethoprim Lactate 0,005 g/L, Vancomycin 0,004 g/L Use 10 ml per liter of medium	10 X 10 ml	8645

V.C.T. , Colimycin 0,0075 g/L, Trimethoprim Lactate 0,005 g/L, Vancomycin 0,004 g/L Use 10 ml per liter of medium	10 X 10 ml	8682
VITAMIN K HEMIN , Hemin 0,005 g/L, Vitamin K 0,0005 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8751
VITAMIN K HEMIN , Hemin 0,005 g/L, Vitamin K 0,01 g/L Use 5 ml per 1 L of medium	10 X 10 ml	8752
VITAMIN K HEMIN, C.D.C. , Hemin 0,005 g/L, Vitamin K 0,01 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8753
V.R.E. VANCOMYCIN , Vancomycin 0,006 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8736
YEAST EXTRACT, DIALYSATE Use 25 ml per liter of medium	25 ml 100 ml	8643 8644
YERSINIA , Cefsulodin 0,006 g/L, Novobiocin 0,004 g/L Use 5 ml per 500 ml of medium	10 X 5 ml	8710